

**RECEIVED
CENTRAL FAX CENTER****JAN 05 2009**

IKK -19

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant : Igor KOTLIAR
Serial No. : 10/726,737
Filing Date : December 3, 2003
Title of Invention : Hypoxic Aircraft Fire Prevention and Suppression System
With Automatic Emergency Oxygen Delivery System
Group Art Unit : 3752
Examiner : Steven J. GANEY [Phone: 571-272-4899]
Confirmation No. : 5831
Date of Action: : May 30, 2008

Mail Stop: Amendment
Commissioner for Patents
P.O. Box 1450
Alexandria VA 22313-1450


Facsimile Transmission

Number: 571-273-8300

Date of transmission: September 9, 2008

I hereby certify that this correspondence is being transmitted to the U.S.P.T.O. fax # 571-273-8300 on the date indicated above and is addressed to the Commissioner for Patents, P.O. box 1450, Alexandria VA 22313-1450

Igor K. Kotliar

**AMENDMENT AND RESPONSE – 09/09/2008**

Dear Commissioner:

This is in response to the office communication mailed July 23, 2008, a Notice of Non-Compliant Amendment in view of an Amendment filed June 17, 2008 in response to an Examiner's Action dated May 30, 2008. A listing of the pending claims begins on page 2. Remarks begin on page 14.

OHS East:160443262.1
16964-2 RM1/RM1

1